

DYNASET 220 BAR JETTING

HIGH PRESSURE
JETTING NOZZLE
220 BAR



Descriptions

Dynaset 220 Bar Jetting pump is used as a field proven, user friendly and highly effective tool for subsea cleaning from ROV.

The High pressure jetter is based around the Dynaset HPW pump and is capable of jetting at 220 bar with the standard nozzle fitted. The system is supplied with all necessary components, hoses for connection to ROV, lance hose, manipulator handle and turbo nozzle.

Features

- Max pump pressure 220 Bar
- Max pump flow 70 L/min
- Jetting gun included
- Round and Flat nozzle included
- Compact and low weight

SPECIFICATIONS

DYNASET 220 BAR JETTING KIT

General technical specification

Type		Dynaset 220 Bar Jetting Kit
Part number		HPW-220
Weight (in air / submerged)	kg	~35 / ~30
Dimensions (L x W x H)	mm	575 x 570 x 540

Hydraulic

Max. Input Pressure	Bar	207
Max. Output Pressure	Bar	220
Max. Input Flow	L/min	50
Max. Output Flow	L/min	70

Connection ROV pressure	JIC	#12
Connection ROV return	JIC	#12

General Features

Depth rating	MSW	3000
--------------	-----	------